


The listing of claims will replace all prior versions, and listings, of claims in the application:

Listing of Claims:

1. (original) A composition for coating optical fibers comprising:
an oligomeric component present in an amount of about 15 weight percent or less
and
a monomeric component present in an amount of about 75 weight percent or more,
wherein the monomeric component comprises two or more monomers when the composition is substantially devoid of the oligomeric component and the cured product of the composition has a Young's modulus of at least about 650 MPa.
2. (original) The composition according to claim 1, wherein the cured product of the composition has a Young's modulus of at least about 900 MPa.
3. (original) The composition according to claim 1, wherein the cured product of the composition has a Young's modulus of at least about 1100 MPa.
4. (original) The composition according to claim 1, wherein the cured product of the composition has a Young's modulus of at least about 1700 MPa.
5. (original) The composition according to claim 1, wherein said oligomeric component comprises an ethylenically unsaturated oligomer.
6. (original) The composition according to claim 5, wherein said ethylenically unsaturated oligomer is a difunctional oligomer according to formula (I)



wherein F_1 is independently a reactive functional group selected from the group of acrylate, methacrylate, acrylamide, N-vinyl amide, styrene, vinyl ether, and vinyl ester;

R_1 is independently selected from the group of $-C_{2-12}O-$, $-(C_{2-4}-O)_n-$, $-C_{2-12}O-(C_{2-4}-O)_n-$, $-C_{2-12}O-(CO-C_{2-5}O)_n-$, and $-C_{2-12}O-(CO-C_{2-5}NH)_n-$;

R_2 is selected from the group of polyether, polyester, polycarbonate, polyamide, polyurethane, polyurea, and combinations thereof;

n is a whole number from 1 to 30; and

m is a whole number from 1 to 10.

7. (original) The composition according to claim 5, wherein said ethylenically unsaturated oligomer is a polyfunctional oligomer according to formula (II), (III) or (IV):

multiisocyanate- $(R_2-R_1-F_2)_x$ (II)

polyol- $[(diisocyanate-R_2-diisocyanate)_m-R_1-F_2]_x$ (III)

multiisocyanate- $(R_1-F_2)_x$ (IV)

wherein F_2 independently represents from 1 to 3 functional groups selected from the group of acrylate, methacrylate, acrylamide, N-vinyl amide, styrene, vinyl ether, and vinyl ester;

R_1 is independently selected from the group of $-C_{2-12}O-$, $-(C_{2-4}-O)_n-$, $-C_{2-12}O-(C_{2-4}-O)_n-$, $-C_{2-12}O-(CO-C_{2-5}O)_n-$, and $-C_{2-12}O-(CO-C_{2-5}NH)_n-$;

R_2 is selected from the group of polyether, polyester, polycarbonate, polyamide, polyurethane, polyurea and combinations thereof;

n is a whole number from 1 to 10;

x is a whole number from 1 to 10; and

m is a whole number from 1 to 10.

8. (original) The composition according to claim 1, wherein said oligomeric component is present in an amount of less than about 13 weight percent.

9. (original) The composition according to claim 8, wherein said oligomeric component is present in an amount of less than about 10 weight percent.

10. (original) The composition according to claim 9, wherein said composition is substantially devoid of said oligomeric component.

11. (original) The composition according to claim 1, wherein said monomeric component comprises an ethylenically unsaturated monomer.

12. (original) The composition according to claim 11, wherein said ethylenically unsaturated monomer is selected from the group of a monofunctional monomer, a polyfunctional monomer, and mixtures thereof.

13. (original) The composition according to claim 11, wherein said ethylenically unsaturated monomer comprises a monofunctional monomer having a functional group selected from the group of acrylate, methacrylate, acrylamide, N-vinyl amide, styrene, vinyl ether, vinyl ester, and acid ester.

14. (original) The composition according to claim 13, wherein said monofunctional ethylenically unsaturated monomer is selected from the group of hydroxyalkyl acrylates, long- and short-chain alkyl acrylates, aminoalkyl acrylates, alkoxyalkyl acrylates, single and multi-ring cyclic aromatic or non-aromatic acrylates, alcohol-based acrylates, acrylamides, vinylic compounds, acid esters, and combinations thereof.

15. (original) The composition according to claim 11, wherein said ethylenically unsaturated monomer comprises a polyfunctional monomer having more than one functional group independently selected from the group of acrylate, methacrylate, acrylamide, N-vinyl amide, styrene, vinyl ether, vinyl ester, acid ester, and combinations thereof.

16. (original) The composition according to claim 15, wherein said polyfunctional ethylenically unsaturated monomer is selected from the group of alkoxylated bisphenol A diacrylates, methylolpropane polyacrylates with and without alkoxylation, alkoxylated glyceryl triacrylates, erythritol polyacrylates with and without alkoxylation, isocyanurate polyacrylates, alcohol polyacrylates with and without alkoxylation, epoxy acrylates, single and multi-ring cyclic aromatic or non-aromatic polyacrylates, and combinations thereof.

17. (original) The composition according to claim 1, wherein said monomeric component is present in an amount of about 80 to about 99 weight percent.

18. (original) The composition according to claim 17, wherein said monomeric component is present in an amount of about 85 to about 98 weight percent.

19. (original) The composition according to claim 1 further comprising:
a polymerization initiator.

20. (original) The composition according to claim 1, wherein
said oligomeric component comprises a polyether urethane acrylate oligomer
present in an amount of about 10 weight percent,
said monomeric component comprises a ethoxylated(8) bisphenol-A diacrylate
monomer present in an amount of about 22 weight percent and a
ethoxylated(4) bisphenol-A diacrylate monomer present in an amount of
about 65 weight percent, and
said composition further comprises a photoinitiator present in an amount of about
3 weight percent.

21. (original) An optical fiber comprising:
a glass fiber;
a primary coating encapsulating said glass fiber; and

a secondary coating encapsulating said primary coating, said secondary coating being the cured product of a composition comprising an oligomeric component present in an amount of about 15 weight percent or less; and a monomeric component present in an amount of about 75 weight percent or more; wherein said secondary coating has a Young's modulus of at least about 650 MPa.

22. (original) The optical fiber according to claim 21, wherein the cured product of the composition has a Young's modulus of at least about 900 MPa.


23. (original) The optical fiber according to claim 22, wherein the cured product of the composition has a Young's modulus of at least about 1700 MPa.

24. (original) The optical fiber according to claim 21 wherein said secondary coating has an outer surface having a coefficient of friction of less than about 0.43.

25. (previously amended) The optical fiber according to claim 21 wherein said coefficient of friction is less than about 0.38.

26. (original) The optical fiber according to claim 21, wherein said oligomeric component comprises an ethylenically unsaturated oligomer.

27. (original) The optical fiber according to claim 26, wherein said ethylenically unsaturated oligomer is a difunctional oligomer according to formula (I)



wherein F_1 is independently a reactive functional group selected from the group of acrylate, methacrylate, acrylamide, N-vinyl amide, styrene, vinyl ether, and vinyl ester;

R_1 is independently selected from the group of $-C_{2-12}O-$, $-(C_{2-4}O)_n-$, $-C_{2-12}O-(C_{2-4}O)_n-$, $-C_{2-12}O-(CO-C_{2-5}O)_n-$, and $-C_{2-12}O-(CO-C_{2-5}NH)_n-$;

R_2 is selected from the group of polyether, polyester, polycarbonate, polyamide, polyurethane, polyurea, and combinations thereof;

n is a whole number from 1 to 30; and

m is a whole number from 1 to 10.

28. (original) The optical fiber according to claim 26, wherein said ethylenically unsaturated oligomer is a polyfunctional oligomer according to formula (II) (III), or (IV):

multiisocyanate- $(R_2-R_1-F_2)_x$ (II)

polyol- $[(diisocyanate-R_2-diisocyanate)_m-R_1-F_2]_x$ (III)

multiisocyanate- $(R_1-F_2)_x$ (IV)

wherein F_2 independently represents from 1 to 3 functional groups selected from the group of acrylate, methacrylate, acrylamide, N-vinyl amide, styrene, vinyl ether, and vinyl ester;

R_1 is independently selected from the group of $-C_{2-12}O-$, $-(C_{2-4}O)_n-$, $-C_{2-12}O-(C_{2-4}O)_n-$, $-C_{2-12}O-(CO-C_{2-5}O)_n-$, and $-C_{2-12}O-(CO-C_{2-5}NH)_n-$;

R_2 is selected from the group of polyether, polyester, polycarbonate, polyamide, polyurethane, polyurea, and combinations thereof;

n is a whole number from 1 to 10;

x is a whole number from 1 to 10; and

m is a whole number from 1 to 10.

29. (original) The optical fiber according to claim 21, wherein said oligomeric component is present in an amount of less than about 10 weight percent.

30. (original) The optical fiber according to claim 29, wherein said composition is substantially devoid of said oligomeric component.

31. (original) The optical fiber according to claim 30, wherein said monomeric component comprises two or more monomers.
32. (original) The optical fiber according to claim 21, wherein said monomeric component comprises an ethylenically unsaturated monomer.
33. (original) The optical fiber according to claim 32, wherein said ethylenically unsaturated monomer is selected from the group of a monofunctional monomer, a polyfunctional monomer, and mixtures thereof.
34. (original) The optical fiber according to claim 21, wherein said monomeric component is present in an amount of about 80 to about 99 weight percent.
35. (original) The optical fiber according to claim 34, wherein said monomeric component is present in an amount of about 85 to about 98 weight percent.
36. (original) The optical fiber according to claim 21, wherein said composition further comprises:
a polymerization initiator.
37. (original) The optical fiber according to claim 21, wherein
said oligomeric component comprises a polyether urethane acrylate oligomer
present in an amount of about 10 weight percent;
said monomeric component comprises a ethoxylated(8) bisphenol-A diacrylate
monomer present in an amount of about 22 weight percent and a
ethoxylated(4) bisphenol-A diacrylate monomer present in an amount of
about 65 weight percent; and
said composition further comprises a photoinitiator present in an amount of about
3 weight percent.

38. (previously presented) The optical fiber according to claim 21 wherein said Young's modulus is more than about 1300 MPa, and said primary coating has a Young's modulus of about 3.0 MPa or less.

39. (previously presented) The optical fiber according to claim 38 wherein said Young's modulus of said primary coating is about 1.5 MPa or less.

40. (original) The optical fiber according to claim 22 having a microbend attenuation of less than 2.25 dB/m at a wavelength of 1550 nm.

41. (original) The optical fiber according to claim 22 having a microbend attenuation of less than 0.53 dB/m at a wavelength of 1550 nm.

42. (original) The optical fiber according to claim 22 having a microbend attenuation of less than 3.00 dB/m at a wavelength of 1625 nm.

43. (original) The optical fiber according to claim 42 having a microbend attenuation of less than 0.75 dB/m at a wavelength of 1625 nm.

44-66. (canceled)

67. (previously presented) The composition according to claim 1, wherein the composition has a tensile strength of at least about 18 MPa when cured.

68. (previously presented) The optical fiber according to claim 21, wherein the secondary coating has a tensile strength of at least about 18 MPa.